


EDL-FM


DUMMY LOAD

MODEL EDL1000-FM



ORDERING INFORMATION

Model	Description
EDL1000-FM	Dummy Load up to 1kW. Forced Air Cooled.



EDL1000-FM

Dummy Load 1000W. Forced Air Cooled.

FEATURES

- Dummy Load suitable.
- Forced Air Cooled.
- 19" Rack mounting.

EDL1000-FM

Parameters	U.M.	Value	Notes	
GENERALS				
Max power rating	W	1000		
Frequency range	MHz	87.5 - 108.0		
Return loss	dB	> 20		
POWER REQUIREMENTS				
AC Power input	AC Supply voltage	230 VAC ±15% single-phase		
	Connector	VDE		
MECHANICAL DIMENSIONS				
Physical dimensions	L x H x W	mm / inch	483 / 19	EIA rack
		mm / inch	132 / 3 1/2	3HE
Weight		kg	About 19	
Cooling			Automatically forced air-cooled	
AUDIO INPUTS				
RF Input	Impedance	50 Ω		
	Connector	7/16"		
FUSES				
On blowers		3 External fuses F 1A		

All pictures are RVR's property and they are only indicative and not binding. The pictures can be modified without notice. These are general specifications. They show typical values and are subject to change without notice.



R.V.R. Elettronica S.r.l.

Via del Fonditore 2/2 c
40138 Bologna - Italy
Phone +39 051 6010506
info@rvr.it

www.rvr.it